

GES-300C-2

CHARGING TYPE HYDRAULIC TOOL
MULTI-FUNCTION
(CRIMPING + CUTTING)

ODM
OEM





Strong drive



Super endurance



Work efficiently



One button start



Safe and durable



Easy to carry





Cutting head



Crimping head

Pressure tube

Rotation 350°

Limit to prevent the tong head from spinning out

Limit switch

Limit pressing mold function

LED indicator

Lighting function

Glue coated handle

Antiskid

LED display screen

Display power, frequency, pressure, temperature

Start switch

Tool operation start switch

Reset button

Manual pressure relief in case of operation error

Air outlet

Machine heat dissipation cycle

Battery lock

Prevent the battery from loosening

Battery

Power supply, rechargeable lithium battery (18V)



STRONG AND DURABLE

MULTI-FUNCTION

One tool for two purposes

CRIMPING

Crimping with 4-300mm²
for thin-wall terminals

CUTTING

Cutting for $\Phi 30\text{mm}_{\text{max}}$
Armoured and Cu/Al cable

SUPER POWER

COPPER CORE MOTOR



2 years

Host warranty
20000 times



Quality Assurance

(Charge battery warranty for 1 year)



TECHNICAL DATA	GES-300C-2
Cutting force:	60KN
Stroke:	17mm
Cutting times:	130times (Per saturation voltage)
Cutting range:	Φ30mm _{max} (Armoured and Cu/Al cable)
Crimping range:	4-300mm ²
Voltage/capacity:	18V/4.0Ah
Net weight:	3.0kg
Charging time:	2 hours
Package:	Plastic box

ACCESSORIES

Crimping dies: 4,6,10,16,25,35,50,70,95,120,150,185,240,300mm²

Battery:	2pcs	Charger:	1pc
----------	------	----------	-----

MOLD CONFIGURATION

PRECISION FORGING

ALL-STEEL HEAT TREATMENT TECHNOLOGY



4,6,10,16,25,35,50,70,95,
120,150,185,240,300mm

SIX ADVANTAGES

Bring you a different work experience



01

Precision thickened pliers head

Special heat treatment strengthening process ensures longer and safer use.

02

Manual reset function

If the operation process is wrong, the piston can be returned to the original position by manual reset.



03

Easy die change

Press the fixed latch, align the replacement mold and then press the latch on



04

One button switch, easy to start

Automatic pressure
monitoring and double
protection during
crimping



05

LED display

Displays the number of
runs, battery level,
service reminders
and fault codes




06

Super large capacitance

Equipped with 5000mah
large capacity lithium
battery. Provide a more
powerful source of
power



SCOPE OF APPLICATION



Electrical Industry



Construction site



Wire crimping



Emergency maintenance

SUITABLE FOR USE

wide crimping range / flexible die change / easy wiring



DT series




DTL series




SC series



GT copper connect pipe



C45 meter box



Small head copper nose

PACKAGING



THICKENED PLASTIC BOX, SOLID COLLISION PROOF

- Durable material
- Collision protection
- Light weight
- Strong resistance to low temperature

